

Application No. Applicant(s) 10/791.006 MOORE ET AL. Notice of Allowability **Examiner Art Unit** Michael Trinh 2822 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 8/23/06. 2. The allowed claim(s) is/are 1-40. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ∏ All b) Some* c) None of the: 1. ☐ Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: . . Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) I including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) I including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413). Paper No./Mail Date 3. Information Disclosure Statements (PTO/SB/08), 7. Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance of Biological Material 9. Other __ Michael Trinin Primary Examiner

Art Unit: 2822

DETAILED ACTION

*** This office action is in response to Applicant's RCE and Amendment filed August 23, 2006. Claims 1-40 are pending.

Allowable Subject Matter

- 1. Claims 1-40 are allowed.
- 2. The following is a statement of reasons for the indication of allowable subject matter:

Applicant's amendment filed August 23, 2006 and convincing remarks have overcome the rejection in the last office action. The references of record including Aronowitz (6,033,998), Mukhopadhyay (6,399,448), Barsan (5,942,780), etc., alone or in combination, do not anticipatively disclose each and every aspect of the claimed method, or fairly make a prima facie obvious case of the claimed method for hardening at least a portion of a gate oxide layer on a substrate, which method, such as in claim 1, comprises patterning the first resist to create at least one exposed area of the oxide layer and at least one masked area of the oxide layer; hardening the at least one exposed area of the oxide layer using a remote plasma nitrogen hardening treatment having a temperature approximately less than 90°C; stripping the first resist; forming a second resist over at least a portion of the oxide layer masked by the first resist; patterning the second resist to create at least one exposed area of the oxide layer and conducting a second remote plasma nitrogen hardening treatment to create at least one second hardened area and at least one nonhardened area within the oxide layer.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael M. Trinh whose telephone number is (571) 272-1847. The examiner can normally be reached on M-F: 9:00 Am to 5:30 Pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Zandra Smith can be reached on (571) 272-2429. The central fax phone number is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Oacs-1-5-6-102

Michael Trinin Primary Examiner